



LABORATORY REPORT

NAME : MR.BC0118 REFERRED BY : SELF VISIT NO : VAMP26148072
AGE : 40Y 0M 0D ZERO TARIFF CLIENT CODE COLLECTED ON : 21-04-2026 10:00
GENDER : Male LAB MR# : AAMP01479351 RECEIVED ON : 21-04-2026 19:51
OP / IP / DG # : APPROVED ON : 22-04-2026 17:58
REPORT STATUS : Final Report



Test Name	Result	Biological Ref. Interval	Unit
BIOCHEMISTRY			
GFR-e (Glomerular Filtration Rate - estimated) with Serum Creatinine (Serum)			
Creatinine <i>Modified Jaffe Kinetic</i>	0.8	0.70 - 1.20	mg/dL
GFR-e <i>Calculated</i>	112.65	Normal or High ≥ 90 Mild decrease 60-89 Mild-moderate decrease 45-59 Moderate-severe decrease 30-44 Severe decrease 15-29 Kidney Failure < 15	mL/min/1.73m ²

Interpretation:

- Note:
- i. GFR estimation method: Calculation by CKD-EPI (Chronic Kidney Disease Epidemiology Collaboration) equation
 - ii. National Kidney Disease Education Program (NKDEP) recommended normal reference range for estimated GFR values: ≥ 60 mL/min/1.73 m². Please correlate clinically.

Sanjeeta
Dr. Sanjeeta
MBBS,MD (Biochemistry)
Consultant Biochemist

Disclaimer:
1. All results released pertain to the specimen as received by the lab for testing and under the assumption that the patient indicated or identified on the bill/test requisition form is the owner of the specimen.
2. Clinical details and consent forms, especially in Genetic testing, histopathology, as well as wherever applicable, are mandatory to be accompanied with the test requisition form. The non-availability of such information may lead to delay in reporting as well as misinterpretation of test results. The lab will not be responsible for any such delays or misinterpretations thereof.
3. Test results are dependent on the quality of the sample received by the lab. In case the samples are preprocessed elsewhere (e.g., paraffin blocks), results may be compromised.
4. Tests are performed as per the schedule given in the test listing and in any unforeseen circumstances, report delivery may be affected.
5. Test results may show inter-laboratory as well as intra-laboratory variations as per the acceptable norms.
6. Genetic reports as well as reports of other tests should be correlated with clinical details and other available test reports by a qualified medical practitioner. Genetic counselling is advised in genetic test reports by a qualified genetic counsellor, medical practitioner or both.
7. Samples will be discarded post processing after a specified period as per the laboratory's retention policy. Kindly get in

AMPATH
Central Reference Labor
Door No. 1-100/1/CCH N
Serilingampally
Hyderabad



LABORATORY REPORT

NAME	: MR.BC0118	REFERRED BY	: SELF	VISIT NO	: VAMP26148072
AGE	: 40Y 0M 0D	ZERO TARIFF CLIENT CODE		COLLECTED ON	: 21-04-2026 10:00
GENDER	: Male	LAB MR#	: AAMP01479351	RECEIVED ON	: 21-04-2026 19:51
OP / IP / DG #	:			APPROVED ON	: 22-04-2026 17:58
				REPORT STATUS	: Final Report



Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

touch with the lab for more information.

8. If accidental damage, loss, or destruction of the specimen is not attributable to any direct or negligent act or omission on the part of Ampath Labs or its employees, Ampath shall in no event be liable. Ampath lab's liability for a lack of services, or other mistakes and omissions, shall be restricted to the amount of the patient's payment for the pertinent laboratory services.

Generated On 25-Apr-2026 12:52:54

This is an electronically authenticated laboratory report.

Page 2 of 2

Sin No: 20385369

