AMPATH
Central Reference Labor
Door No. 1-100/1/CCH N
Serilingampally
Hyderabad

MC-2751

AMPATH
ACCURATE DIAGNOSTICS, AMERICAN STANDARDS.

LABORATORY REPORT

NAME	**: MR.SI0025**	REFERRED BY	: SELF	VISIT NO	: VAMP26148006
AGE	: 40Y 0M 0D	ZERO TARIFF CLIENT CODE		COLLECTED ON	: 21-04-2026 10:00
GENDER	: Male	**LAB MR#**	**: AAMP01479285**	RECEIVED ON	: 21-04-2026 18:11
OP / IP / DG #	:			APPROVED ON	: 22-04-2026 13:31
				REPORT STATUS	: Final Report

Test Name	Result	Biological Ref. Interval	Unit
SEROLOGY AND IMMUNOLOGY			
CMV (Cytomegalovirus) IgM Antibodies *(Serum)*			
Cytomegalovirus IgM *CLIA*	4.50	Negative : <18.0 Equivocal : 18.0–22.0 Positive : >22.0	IU/mL

Interpretation:

Cytomegalovirus (CMV) is a member of the Herpes virus family. Infections are usually mild and asymptomatic but may pose a significant medical risk in pregnant women, newborns and immunocompromised individuals. In utero infection can lead to varying degrees of mental retardation, chorioretinitis, hearing loss and neurologic problems. Since the risk of in utero transmission and CMV related damage to the fetus is highly likely during primary infection, reliable recognition of primary infection is of high importance in pregnant women. It is recommended to test for CMV IgG and CMV IgG avidity to exclude primary infection. Positive CMV IgM in association with low CMV IgG avidity is a strong indicator of primary infection within the last 4 months.

Note:

1. Non reactive results does not exclude the possibility of infection. Patients with Non reactive results in suspected early disease may be retested after 3 weeks.
2. Equivocal results may be retested after 2 weeks.
3.Reactive results indicate primary infection, reinfection or reactivation of latent virus.

Dr. G. Amitha
MBBS, MD (MICROBIOLOGY)
Consultant Microbiologist

Sin No: 20385303

AMPATH
Central Reference Labor
Door No. 1-100/1/CCH N
Serilingampally
Hyderabad

MC-2751

AMPATH
ACCURATE DIAGNOSTICS, AMERICAN STANDARDS.

LABORATORY REPORT

NAME	**: MR.SI0025**	REFERRED BY	: SELF	VISIT NO	: VAMP26148006
AGE	: 40Y 0M 0D	ZERO TARIFF CLIENT CODE		COLLECTED ON	: 21-04-2026 10:00
GENDER	: Male	**LAB MR#**	**: AAMP01479285**	RECEIVED ON	: 21-04-2026 18:11
OP / IP / DG #	:			APPROVED ON	: 22-04-2026 13:31
				REPORT STATUS	: Final Report

Test Name	Result	Biological Ref. Interval	Unit

a qualified medical practitioner. Genetic counselling is advised in genetic test reports by a qualified genetic counsellor, medical practitioner or both.
7. Samples will be discarded post processing after a specified period as per the laboratory's retention policy. Kindly get in touch with the lab for more information.
8. If accidental damage, loss, or destruction of the specimen is not attributable to any direct or negligent act or omission on the part of Ampath Labs or its employees, Ampath shall in no event be liable. Ampath lab's liability for a lack of services, or other mistakes and omissions, shall be restricted to the amount of the patient's payment for the pertinent laboratory services.

Sin No: 20385303