



LABORATORY REPORT

NAME : MR.SI0061 REFERRED BY : SELF VISIT NO : VAMP26147900
AGE : 40Y 0M 0D ZERO TARIFF CLIENT CODE COLLECTED ON : 21-04-2026 10:00
GENDER : Male LAB MR# : AAMP01479179 RECEIVED ON : 21-04-2026 18:08
OP / IP / DG # : APPROVED ON : 22-04-2026 20:19
REPORT STATUS : Final Report



Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

SEROLOGY AND IMMUNOLOGY

Anti ds-DNA Antibody - IFA - screen (Serum)

Anti ds-DNA Antibody Negative Negative
Immunofluorescence microscopy

Interpretation:

Anti-ds DNA reactivity(IgG)	Interpretation
No Fluorescence at 1:10	Negative. (No antibodies against cell nuclei detectable in the given sample).
Fluorescence at 1:10	Positive

The titer is derived from inverse ratio of dilution factor for which specific florescence is identifiable. Immunofluorescent pattern detection of dsDNA antibodies in human serum for the diagnosis of various related auto-immune disorders is facilitated through the use of artificially cultured Crithidia luciliae as micro-chips on slides. The end-point titre is considered to be the highest dilution to still give a positive result.

Dr. G. Amitha
MBBS, MD (MICROBIOLOGY)
Consultant Microbiologist

Disclaimer:

- All results released pertain to the specimen as received by the lab for testing and under the assumption that the patient indicated or identified on the bill/test requisition form is the owner of the specimen.
- Clinical details and consent forms, especially in Genetic testing, histopathology, as well as wherever applicable, are mandatory to be accompanied with the test requisition form. The non-availability of such information may lead to delay in reporting as well as misinterpretation of test results. The lab will not be responsible for any such delays or misinterpretations thereof.
- Test results are dependent on the quality of the sample received by the lab. In case the samples are preprocessed elsewhere (e.g., paraffin blocks), results may be compromised.
- Tests are performed as per the schedule given in the test listing and in any unforeseen circumstances, report delivery may be affected.
- Test results may show inter-laboratory as well as intra-laboratory variations as per the acceptable norms.
- Genetic reports as well as reports of other tests should be correlated with clinical details and other available test reports by a qualified medical practitioner. Genetic counselling is advised in genetic test reports by a qualified genetic counsellor, medical practitioner or both.
- Samples will be discarded post processing after a specified period as per the laboratory's retention policy. Kindly get in touch with the lab for more information.
- If accidental damage, loss, or destruction of the specimen is not attributable to any direct or negligent act or omission on the part of Ampath Labs or its employees, Ampath shall in no event be liable. Ampath lab's liability for a lack of services, or



AMPATH
Central Reference Labor
Door No. 1-100/1/CCH N
Serilingampally
Hyderabad



MC-2751

LABORATORY REPORT

NAME	: MR.SI0061	REFERRED BY	: SELF	VISIT NO	: VAMP26147900
AGE	: 40Y 0M 0D	ZERO TARIFF CLIENT CODE		COLLECTED ON	: 21-04-2026 10:00
GENDER	: Male	LAB MR#	: AAMP01479179	RECEIVED ON	: 21-04-2026 18:08
OP / IP / DG #	:			APPROVED ON	: 22-04-2026 20:19
				REPORT STATUS	: Final Report



Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

other mistakes and omissions, shall be restricted to the amount of the patient's payment for the pertinent laboratory services.

Generated On 24-Apr-2026 18:15:17

This is an electronically authenticated laboratory report.

Page 2 of 2

Sin No: 20385197

