AMPATH
Central Reference Labor
Door No. 1-100/1/CCH N
Serilingampally
Hyderabad

MC-2751

AMPATH
ACCURATE DIAGNOSTICS, AMERICAN STANDARDS.

LABORATORY REPORT

NAME	**: MR.SI0104**	REFERRED BY	: SELF	VISIT NO	: VAMP26147895
AGE	: 40Y 0M 0D	ZERO TARIFF CLIENT CODE		COLLECTED ON	: 21-04-2026 10:00
GENDER	: Male	**LAB MR#**	**: AAMP01479174**	RECEIVED ON	: 21-04-2026 18:08
OP / IP / DG #	:			APPROVED ON	: 22-04-2026 14:03
				REPORT STATUS	: Final Report

Test Name	Result	Biological Ref. Interval	Unit
SEROLOGY AND IMMUNOLOGY			
Anti Cardiolipin Antibody IgA *(Serum)*			
Anti Cardiolipin Antibody IgA *ELISA*	4.65	<12 : Negative 12-18 : Equivocal >18 : Positive	U/ml

Interpretation:

The assay is an aid in the diagnosis and risk estimation of thrombosis in patients with systemic lupus erythematosus(SLE). Elevated cardiolipin antibodies (aCL) are seen in antiphospholipid syndrome (APS), > 20% of patients with SLE, 40-46% with rheumatoid arthritis, 50% of AIDS patients, patients with viral, bacterial, protozoan infections and malignancies. Medications including quinidine, procainamide, chlorpromazine, phenytoin, and many antibiotics have been associated with increased aCL levels. According to the most recent international consensus statement, the Antiphospholipid syndrome (APS) is present if at least one clinical criterion and one laboratory criterion are present. Clinical criteria include: 1) vascular thrombosis (arterial, venous, small vessel) 2) pregnancy morbidities with foetal loss. Laboratory criteria: Episodes must occur on 2 or more occasions, at least 12 weeks apart and include 1. Anti cardiolipin antibodies positive with IgG >40 GPL and or IgM >40 MPL 2. Lupus anticoagulant detected in plasma. A diagnosis of APS is discouraged if less than 12 weeks or more than 5 years separates the positive laboratory and clinical criteria. Anticardiolipin antibodies may occur following acute bacterial or viral infections and in syphilis. Patients with such a history, who test positive, should be retested in 6-8 weeks to exclude transient antibodies that are usually not clinically significant.

Dr. G. Amitha
MBBS, MD (MICROBIOLOGY)
Consultant Microbiologist

Sin No: 20385192

AMPATH
Central Reference Labor
Door No. 1-100/1/CCH N
Serilingampally
Hyderabad

MC-2751

AMPATH
ACCURATE DIAGNOSTICS, AMERICAN STANDARDS.

LABORATORY REPORT

NAME	**: MR.SI0104**	REFERRED BY	: SELF	VISIT NO	: VAMP26147895
AGE	: 40Y 0M 0D	ZERO TARIFF CLIENT CODE		COLLECTED ON	: 21-04-2026 10:00
GENDER	: Male	**LAB MR#**	**: AAMP01479174**	RECEIVED ON	: 21-04-2026 18:08
OP / IP / DG #	:			APPROVED ON	: 22-04-2026 14:03
				REPORT STATUS	: Final Report

Test Name	Result	Biological Ref. Interval	Unit

7. Samples will be discarded post processing after a specified period as per the laboratory's retention policy. Kindly get in touch with the lab for more information.
8. If accidental damage, loss, or destruction of the specimen is not attributable to any direct or negligent act or omission on the part of Ampath Labs or its employees, Ampath shall in no event be liable. Ampath lab's liability for a lack of services, or other mistakes and omissions, shall be restricted to the amount of the patient's payment for the pertinent laboratory services.

Sin No: 20385192