



LABORATORY REPORT

NAME : MR.PR0075 REFERRED BY : SELF VISIT NO : VAMP26148280  
AGE : 40Y 0M 0D ZERO TARIFF CLIENT CODE COLLECTED ON : 21-04-2026 10:00  
GENDER : Male LAB MR# : AAMP01479559 RECEIVED ON : 21-04-2026 19:51  
OP / IP / DG # : APPROVED ON : 22-04-2026 14:11  
REPORT STATUS : Final Report



Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

Thyroid Profile - Iv

BIOCHEMISTRY

T3 - Total (Tri Iodothyronine) (Serum)

T3 - Total (Tri Iodothyronine) ECLIA	125.0	80.00 - 200.00	ng/dL
---	-------	----------------	-------

T4 - Total (Thyroxine - Total) (Serum)

T4 - Total (Thyroxine - Total) ECLIA	9.65	5.1-14.1	µg/dL
---	------	----------	-------

Interpretation:

Total T3 & T4 levels measure the hormone which is in the bound form and is not available to most tissues. Severe systemic illness affects the thyroid binding proteins and can falsely alter Total T 4 levels in the absence of a primary thyroid disease. Hence Free T3 & T4 levels are recommended for accurate assessment of thyroid dysfunction.

TSH, Thyroid Stimulating Hormone (Serum)

TSH, Thyroid Stimulating Hormone ECLIA	3.250	0.27 - 4.21	µIU/mL
---	-------	-------------	--------

Interpretation:

The following potential sources of variation should be considered while interpreting thyroid hormone results:

1. Circadian variation in TSH secretion: peak levels are seen between 2-4 am. Minimum levels seen between 6-10 am. This variation may be as much as 50% thus, influence of sampling time needs to be considered for clinical interpretation.
2. Total T3 and T4 levels are seen to have physiological rise during pregnancy and in patients on steroid treatment
3. Circulating forms of T3 and T4 are mostly reversibly bound with Thyroxine binding globulins (TBG), and to a lesser extent with albumin and Thyroid binding Pre-Albumin. Thus the conditions in which TBG and protein levels alter such as chronic liver disorders, pregnancy, excess of estrogens, androgens, anabolic steroids and glucocorticoids may cause misleading total T3, total T4 and TSH interpretations.
4. T4 may be normal in the presence of hyperthyroidism under the following conditions : T3 thyrotoxicosis, Hypoproteinemia related reduced binding, in presence of drugs (eg Phenytoin, Salicylates etc)
5. Neonates and infants have higher levels of T4 due to increased concentration of TBG
6. TSH levels may be normal in central hypothyroidism, recent rapid correction of hypothyroidism or hyperthyroidism, pregnancy, phenytoin therapy etc.
7. TSH values of <0.03 uIU/mL must be clinically correlated to evaluate the presence of a rare TSH variant in certain individuals which is undetected by conventional methods.
8. Presence of Autoimmune disorders may lead to spurious results of thyroid hormones
9. Various drugs can lead to interference in test results

It is recommended to evaluate unbound fractions, that is free T3 (fT3) and free T4 (fT4) for clinic-pathologic correlation, as these are the metabolically active forms.

T3 - Free (Tri-iodothyronine-Free) (Serum)

T3 - Free (Tri-iodothyronine-Free) ECLIA	3.20	2.7-4.3	pg/mL
---	------	---------	-------

Interpretation:

Generated On 24-Apr-2026 18:18:55

This is an electronically authenticated laboratory report.

Page 1 of 3

Sin No: 20385576





LABORATORY REPORT

NAME	: MR.PR0075	REFERRED BY	: SELF	VISIT NO	: VAMP26148280
AGE	: 40Y 0M 0D	ZERO TARIFF CLIENT CODE		COLLECTED ON	: 21-04-2026 10:00
GENDER	: Male	LAB MR#	: AAMP01479559	RECEIVED ON	: 21-04-2026 19:51
OP / IP / DG #	:			APPROVED ON	: 22-04-2026 14:11
				REPORT STATUS	: Final Report



Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

**Thyroid Profile - Iv**  
Interpretation:

Thyroid hormones circulate primarily bound to carrier proteins (Thyroid – binding globulin, pre albumin and albumin) whereas only a small fraction circulates unbound (free). Only free forms are metabolically active

**Clinical use**

1. Protein binding abnormalities leading to elevated levels
2. Diagnose and treatment of hyperthyroidism

**Increased levels**

Graves disease, T3 thyrotoxicosis

**Decreased levels**

Hypothyroidism , nutritional deficiency ,pregnancy & estrogen therapy.

**T4 - Free (Thyroxine - Free) (Serum)**

T4 - Free (Thyroxine - Free) ECLIA	1.20	1-1.7	ng/dL
---------------------------------------	------	-------	-------

**Interpretation:**

**Clinical Use**

Initial test of thyroid function in patients with suspected thyroid dysfunction  
Assess thyroid status in patients with abnormal total T4 concentrations  
Distinguish Euthyroid hyperthyroxinemias from hypothyroidism.

**Increased Levels:** Thyroid hormone resistance, Hyperthyroidism

**Decreased Levels:** Primary hypothyroidism, Secondary hypothyroidism

**Anti TG ( Anti Thyroglobulin) (Serum)**

Anti TG ECLIA	85.00	<115	IU/mL
------------------	-------	------	-------

**Anti TPO (Anti Thyroid Peroxidase) (Serum)**

Anti TPO ECLIA	25.00	<34	IU/mL
-------------------	-------	-----	-------





LABORATORY REPORT

NAME	: MR.PR0075	REFERRED BY	: SELF	VISIT NO	: VAMP26148280
AGE	: 40Y 0M 0D	ZERO TARIFF CLIENT CODE		COLLECTED ON	: 21-04-2026 10:00
GENDER	: Male	LAB MR#	: AAMP01479559	RECEIVED ON	: 21-04-2026 19:51
OP / IP / DG #	:			APPROVED ON	: 22-04-2026 14:11
				REPORT STATUS	: Final Report



Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

Thyroid Profile - Iv

*Sanjeeta*

Dr. Sanjeeta  
MBBS,MD (Biochemistry)  
Consultant Biochemist

Disclaimer:

1. All results released pertain to the specimen as received by the lab for testing and under the assumption that the patient indicated or identified on the bill/test requisition form is the owner of the specimen.
2. Clinical details and consent forms, especially in Genetic testing, histopathology, as well as wherever applicable, are mandatory to be accompanied with the test requisition form. The non-availability of such information may lead to delay in reporting as well as misinterpretation of test results. The lab will not be responsible for any such delays or misinterpretations thereof.
3. Test results are dependent on the quality of the sample received by the lab. In case the samples are preprocessed elsewhere (e.g., paraffin blocks), results may be compromised.
4. Tests are performed as per the schedule given in the test listing and in any unforeseen circumstances, report delivery may be affected.
5. Test results may show inter-laboratory as well as intra-laboratory variations as per the acceptable norms.
6. Genetic reports as well as reports of other tests should be correlated with clinical details and other available test reports by a qualified medical practitioner. Genetic counselling is advised in genetic test reports by a qualified genetic counsellor, medical practitioner or both.
7. Samples will be discarded post processing after a specified period as per the laboratory's retention policy. Kindly get in touch with the lab for more information.
8. If accidental damage, loss, or destruction of the specimen is not attributable to any direct or negligent act or omission on the part of Ampath Labs or its employees, Ampath shall in no event be liable. Ampath lab's liability for a lack of services, or other mistakes and omissions, shall be restricted to the amount of the patient's payment for the pertinent laboratory services.

