



LABORATORY REPORT

NAME : MR. PR1398 REFERRED BY : SELF VISIT NO : VAZ426000016  
AGE : 40Y 0M 0D ZERO TARIFF CLIENT CODE COLLECTED ON : 20-04-2026 16:32  
GENDER : Male LAB MR# : AAZ400000015 RECEIVED ON : 20-04-2026 17:53  
OP / IP / DG # : APPROVED ON : 20-04-2026 18:13  
REPORT STATUS : Final Report



| Test Name | Result | Biological Ref. Interval | Unit |
|-----------|--------|--------------------------|------|
|-----------|--------|--------------------------|------|

Amfit - Male Health

HAEMATOLOGY

Complete Blood Counts (Whole Blood - EDTA)

(Automated Hematology Analyzer & Microscopy)

|   |      |             |                     |
|---|------|-------------|---------------------|
| Hemoglobin<br><i>photometric method</i>                                 | 15.8 | 13.0 - 17.0 | g/dL                |
| RBC Count<br><i>coulter principle</i>                                   | 5.1  | 4.5 - 5.5   | 10 <sup>6</sup> /μL |
| Hematocrit<br><i>Calculated</i>   | 46.4 | 40 - 50     | %                   |
| MCV(Mean Corpuscular Volume)<br><i>Derived from RBC Histogram</i>       | 91.2 | 83 - 101    | fL                  |
| MCH(Mean Corpuscular Hemoglobin)<br><i>Calculated</i>                   | 30.9 | 27 - 32     | pg                  |
| MCHC(Mean Corpuscular Hemoglobin<br>Concentration)<br><i>Calculated</i> | 33.9 | 31.5 - 34.5 | g/dL                |
| RDW<br><i>Derived from RBC Histogram</i>                                | 13.8 | 11.6 - 14   | %                   |
| Total Leukocyte Count<br><i>coulter principle</i>                       | 5.4  | 4.0 - 10.0  | 10 <sup>3</sup> /μl |
| <b>Differential count % (VCSn &amp; Microscopy)</b>                     |      |             |                     |
| Neutrophils   | 55.0 | 40-80       | %                   |
| Lymphocytes   | 30.0 | 20-40       | %                   |
| Monocytes   | 10.0 | 2-10        | %                   |
| Eosinophils   | 5.0  | 1-6         | %                   |
| <b>Differential Counts, Absolute(calculated)</b>                        |      |             |                     |
| Absolute Neutrophil Count   | 2.97 | 2.0-7.0     | 10 <sup>3</sup> /μl |
| Absolute Lymphocyte Count   | 1.62 | 1.0-3.0     | 10 <sup>3</sup> /μl |
| Absolute Monocyte Count   | 0.54 | 0.2 - 1.0   | 10 <sup>3</sup> /μl |
| Absolute Eosinophil Count (AEC)   | 0.27 | 0.02-0.5    | 10 <sup>3</sup> /μl |
| Platelet Count<br><i>coulter principle</i>                              | 196  | 150 - 410   | 10 <sup>3</sup> /μl |
| MPV<br><i>Derived from platelet histogram</i>                           | 8.4  | 7.5 - 11.5  | fL                  |





LABORATORY REPORT

|                |              |                         |                |               |                    |
|----------------|--------------|-------------------------|----------------|---------------|--------------------|
| NAME           | : MR. PR1398 | REFERRED BY             | : SELF         | VISIT NO      | : VAZ426000016     |
| AGE            | : 40Y 0M 0D  | ZERO TARIFF CLIENT CODE |                | COLLECTED ON  | : 20-04-2026 16:32 |
| GENDER         | : Male       | LAB MR#                 | : AAZ400000015 | RECEIVED ON   | : 20-04-2026 17:40 |
| OP / IP / DG # | :            |                         |                | APPROVED ON   | : 20-04-2026 19:03 |
|                |              |                         |                | REPORT STATUS | : Final Report     |



| Test Name | Result | Biological Ref. Interval | Unit |
|-----------|--------|--------------------------|------|
|-----------|--------|--------------------------|------|

Amfit - Male Health

BIOCHEMISTRY

Glucose - Fasting (Fluoride Plasma - F)

|                                 |      |  |       |
|---------------------------------|------|--|-------|
| Glucose - Fasting<br>Hexokinase | 86.0 | Normal : 74-100<br>Pre-diabetic : 100-125<br>Diabetic: >=126 | mg/dL |
|---------------------------------|------|--|-------|

HbA1c - Glycated Hemoglobin (Whole Blood - EDTA)

|                                    |      |  |   |
|------------------------------------|------|--|---|
| Glycated Hemoglobin, HbA1c<br>HPLC | 5.20 | Non diabetic range: 4.8-5.6<br>Prediabetic range: 5.7-6.4<br>Diabetes range: >=6.5 | % |
|------------------------------------|------|--|---|

|                           |       |  |       |
|---------------------------|-------|--|-------|
| Estimated Average Glucose | 102.5 |  | mg/dL |
|---------------------------|-------|--|-------|

Interpretation:

HbA1c results may vary in situations of abnormal red cell turnover, such as pregnancy, recent blood loss or transfusion, or some anemias. In such cases only blood glucose criteria should be used to diagnose diabetes (ADA, 2024). Please correlate clinically.

Lipid Profile (Serum)

|   |       |  |       |
|---|-------|--|-------|
| Cholesterol Total - Serum<br>Enzymatic colorimetric | 171.0 | No risk: <200<br>Moderate risk: 200-239<br>High risk: >240 | mg/dL |
|---|-------|--|-------|

|  |       |  |       |
|--|-------|--|-------|
| Triglycerides<br>Enzymatic colorimetry | 125.0 | Normal: <150<br>Borderline-high: 150-199<br>High risk 200-499<br>Very high risk >500 | mg/dL |
|--|-------|--|-------|

|  |      |                                |       |
|--|------|--------------------------------|-------|
| Cholesterol - HDL (Direct)<br>Enzymatic colorimetric | 62.0 | High Risk: <40<br>No Risk: >60 | mg/dL |
|--|------|--------------------------------|-------|

|                      |       |  |       |
|----------------------|-------|--|-------|
| LDL Chol, Calculated | 84.00 | Optimal:<100<br>Near optimal:100 - 129<br>Borderline high:130-159<br>High risk:160 - 189 | mg/dL |
|----------------------|-------|--|-------|

|  |      |     |       |
|--|------|-----|-------|
| VLDL (Very Low Density Lipoprotein)<br>Calculation | 25.0 | <30 | mg/dL |
|--|------|-----|-------|

|   |      |   |  |
|---|------|---|--|
| Cho/HDL Ratio<br>Enzymatic colorimetric & Calculation | 2.76 | Normal:<4.0<br>Low risk:4.0-6.0<br>High risk:>6.0 |  |
|---|------|---|--|

|               |      |  |  |
|---------------|------|--|--|
| LDL/HDL Ratio | 1.35 | Desirable/Low Risk: 0.5 - 3.0<br>Borderline/Moderate: 3.1 - 6.0<br>High Risk: >6.0 |  |
|---------------|------|--|--|

Liver Function Tests (LFT) (Serum)

Generated On 24-Apr-2026 19:07:27

This is an electronically authenticated laboratory report.

Page 2 of 7

Sin No: 20385052,20385053,20385054,20385055





LABORATORY REPORT

|                          |                                |  |
|--------------------------|--------------------------------|--|
| <b>NAME</b> : MR. PR1398 | <b>REFERRED BY</b> : SELF      | <b>VISIT NO</b> : VAZ426000016         |
| <b>AGE</b> : 40Y 0M 0D   | <b>ZERO TARIFF CLIENT CODE</b> | <b>COLLECTED ON</b> : 20-04-2026 16:32 |
| <b>GENDER</b> : Male     | <b>LAB MR#</b> : AAZ400000015  | <b>RECEIVED ON</b> : 20-04-2026 17:40  |
| <b>OP / IP / DG #</b> :  |                                | <b>APPROVED ON</b> : 20-04-2026 19:03  |
|                          |                                | <b>REPORT STATUS</b> : Final Report    |



| Test Name  | Result | Biological Ref. Interval | Unit  |
|--|--------|--------------------------|-------|
| <b>Amfit - Male Health</b>                                     |        |                          |       |
| Bilirubin Total<br><i>Diazo method</i>                         | 0.30   | <1.1                     | mg/dL |
| Bilirubin Conjugated<br><i>Diazo method</i>                    | 0.1    | <=0.2                    | mg/dL |
| Bilirubin Unconjugated, Indirect<br><i>Calculation</i>         | 0.20   | <1.0                     | mg/dL |
| Alanine aminotransferase - (ALT / SGPT)<br><i>Kinetic IFCC</i> | 21     | < 41.0                   | U/L   |
| Aspartate Aminotransferase (AST/SGOT)<br><i>IFCC kinetic</i>   | 24     | < 40                     | U/L   |
| Alkaline Phosphatase - ALP<br><i>IFCC kinetic</i>              | 102.0  | <129                     | U/L   |
| Protein Total, Serum<br><i>Biuret Method</i>                   | 7.1    | 6.4-8.3                  | g/dL  |
| Albumin - Serum<br><i>Bromocresol green</i>                    | 4.4    | 3.5 - 5.2                | g/dL  |
| Globulin<br><i>Calculation</i>                                 | 2.7    | 2.3-3.5                  | g/dL  |
| A/G (Albumin/Globulin) Ratio<br><i>Calculation</i>             | 1.6    | 0.8 - 2.0                | g/dL  |

**Interpretation:**

In an asymptomatic patient, Non alcoholic fatty liver disease (NAFLD) is the most common cause of increased AST, ALT levels. NAFLD is considered as hepatic manifestation of metabolic syndrome. In most type of liver disease, ALT activity is higher than that of AST; exception may be seen in Alcoholic Hepatitis, Hepatic Cirrhosis, and Liver neoplasia. In a patient with Chronic liver disease, AST:ALT ratio>1 is highly suggestive of advanced liver fibrosis. In known cases of Chronic Liver disease due to Viral Hepatitis B & C, Alcoholic liver disease or NAFLD, Enhanced liver fibrosis (ELF) test may be used to evaluate liver fibrosis. In a patient with Chronic Liver disease, AFP and Des-gamma carboxyprothrombin (DCP)/PIVKA II can be used to assess risk for development of Hepatocellular Carcinoma.

**Creatinine (Serum)**

|   |     |             |       |
|---|-----|-------------|-------|
| Creatinine<br><i>Modified Jaffe Kinetic</i> | 1.1 | 0.70 - 1.20 | mg/dL |
|---|-----|-------------|-------|

**Blood Urea Nitrogen, BUN - Serum (Serum)**

|   |       |          |       |
|---|-------|----------|-------|
| Blood Urea Nitrogen (BUN)<br><i>Calculation</i> | 13.55 | 8.8-20.5 | mg/dL |
|---|-------|----------|-------|

**Urea (Serum)**

|                                |      |             |       |
|--------------------------------|------|-------------|-------|
| Urea<br><i>Kinetic, Urease</i> | 29.0 | 19.0 - 49.0 | mg/dL |
|--------------------------------|------|-------------|-------|

**Uric acid (Serum)**





LABORATORY REPORT

|                |              |                         |                |               |                    |
|----------------|--------------|-------------------------|----------------|---------------|--------------------|
| NAME           | : MR. PR1398 | REFERRED BY             | : SELF         | VISIT NO      | : VAZ426000016     |
| AGE            | : 40Y 0M 0D  | ZERO TARIFF CLIENT CODE |                | COLLECTED ON  | : 20-04-2026 16:32 |
| GENDER         | : Male       | LAB MR#                 | : AAZ400000015 | RECEIVED ON   | : 20-04-2026 17:40 |
| OP / IP / DG # | :            |                         |                | APPROVED ON   | : 20-04-2026 19:03 |
|                |              |                         |                | REPORT STATUS | : Final Report     |



| Test Name                                       | Result | Biological Ref. Interval | Unit   |
|---|--------|--------------------------|--------|
| <b>Amfit - Male Health</b>                      |        |                          |        |
| Uric acid<br><i>Uricase</i>                     | 5.6    | 3.6 - 8.2                | mg/dL  |
| <b>Electrolytes (Na, K, Cl) - Serum (Serum)</b> |        |                          |        |
| Sodium - Serum<br><i>ISE Indirect</i>           | 143.0  | 136 - 145                | mmol/L |
| Potassium<br><i>ISE Indirect</i>                | 4.20   | 3.5-5.1                  | mmol/L |
| Chloride - Serum<br><i>ISE Indirect</i>         | 104.0  | 98 - 107                 | mmol/L |
| <b>T3 - Total (Tri Iodothyronine) (Serum)</b>   |        |                          |        |
| T3 - Total (Tri Iodothyronine)<br><i>ECLIA</i>  | 105.0  | 80.00 - 200.00           | ng/dL  |
| <b>T4 - Total (Thyroxine - Total) (Serum)</b>   |        |                          |        |
| T4 - Total (Thyroxine - Total)<br><i>ECLIA</i>  | 8.25   | 5.1-14.1                 | µg/dL  |

**Interpretation:**

Total T3 & T4 levels measure the hormone which is in the bound form and is not available to most tissues. Severe systemic illness affects the thyroid binding proteins and can falsely alter Total T 4 levels in the absence of a primary thyroid disease. Hence Free T3 & T4 levels are recommended for accurate assessment of thyroid dysfunction.

**TSH, Thyroid Stimulating Hormone (Serum)**

|  |       |             |        |
|--|-------|-------------|--------|
| TSH, Thyroid Stimulating Hormone<br><i>ECLIA</i> | 1.980 | 0.27 - 4.21 | µIU/mL |
|--|-------|-------------|--------|

**Interpretation:**

The following potential sources of variation should be considered while interpreting thyroid hormone results:

1. Circadian variation in TSH secretion: peak levels are seen between 2-4 am. Minimum levels seen between 6-10 am. This variation may be as much as 50% thus, influence of sampling time needs to be considered for clinical interpretation.
2. Total T3 and T4 levels are seen to have physiological rise during pregnancy and in patients on steroid treatment
3. Circulating forms of T3 and T4 are mostly reversibly bound with Thyroxine binding globulins (TBG), and to a lesser extent with albumin and Thyroid binding Pre-Albumin. Thus the conditions in which TBG and protein levels alter such as chronic liver disorders, pregnancy, excess of estrogens, androgens, anabolic steroids and glucocorticoids may cause misleading total T3, total T4 and TSH interpretations.
4. T4 may be normal in the presence of hyperthyroidism under the following conditions : T3 thyrotoxicosis, Hypoproteinemia related reduced binding, in presence of drugs (eg Phenytoin, Salicylates etc)
5. Neonates and infants have higher levels of T4 due to increased concentration of TBG
6. TSH levels may be normal in central hypothyroidism, recent rapid correction of hypothyroidism or hyperthyroidism, pregnancy, phenytoin therapy etc.
7. TSH values of <0.03 uIU/mL must be clinically correlated to evaluate the presence of a rare TSH variant in certain individuals which is undetected by conventional methods.
8. Presence of Autoimmune disorders may lead to spurious results of thyroid hormones





LABORATORY REPORT

|                |              |                         |                |               |                    |
|----------------|--------------|-------------------------|----------------|---------------|--------------------|
| NAME           | : MR. PR1398 | REFERRED BY             | : SELF         | VISIT NO      | : VAZ426000016     |
| AGE            | : 40Y 0M 0D  | ZERO TARIFF CLIENT CODE |                | COLLECTED ON  | : 20-04-2026 16:32 |
| GENDER         | : Male       | LAB MR#                 | : AAZ400000015 | RECEIVED ON   | : 20-04-2026 17:40 |
| OP / IP / DG # | :            |                         |                | APPROVED ON   | : 20-04-2026 19:03 |
|                |              |                         |                | REPORT STATUS | : Final Report     |



| Test Name | Result | Biological Ref. Interval | Unit |
|-----------|--------|--------------------------|------|
|-----------|--------|--------------------------|------|

**Amfit - Male Health**

9. Various drugs can lead to interference in test results

It is recommended to evaluate unbound fractions, that is free T3 (fT3) and free T4 (fT4) for clinic-pathologic correlation, as these are the metabolically active forms.

**Vitamin B12 (Serum)**

|                      |        |         |       |
|----------------------|--------|---------|-------|
| Vitamin B12<br>ECLIA | 485.00 | 197-771 | pg/mL |
|----------------------|--------|---------|-------|

**Interpretation:**

Vitamin B12 also referred to as cobalamin is a water soluble vitamin. The uptake in the gastro intestinal track depends on intrinsic factor, which is synthesised by gastric parietal cells. Vit B12 deficiency results in megaloblastic anaemia, peripheral neuropathy, dementia and depression

**Deficiency state can be due to** - Lack of intrinsic factor due to autoimmune atrophic gastritis, mal-absorption due to gastrectomy, Inflammatory bowel disease, dietary deficiency (strict vegans).

**Increased levels can be due to** - VIT B12 supplement intake, polycythaemia Vera.

**Vitamin D, 25-Hydroxy (Serum)**

|                                |      |  |       |
|--------------------------------|------|--|-------|
| Vitamin D, 25-Hydroxy<br>ECLIA | 54.0 | Deficient: <=20<br>Insufficiency: 20-29<br>Desirable: >=30-100<br>Toxicity: >100 | ng/ml |
|--------------------------------|------|--|-------|

**Interpretation:**

Vitamin D is a fat soluble vitamin produced in the skin by exposure to sun light. Deficiency in children causes rickets and in adults leads to osteomalacia

**Decreased levels can be due to**- Impaired cutaneous production (lack of sunlight exposure), dietary absence, malabsorption, increased metabolism due to drugs like barbiturates, phenytoin, liver disease, renal failure, Vit D receptor mutation

**Increased levels can be due to** - increased vit D supplements intake

**PSA Total (Prostatic Specific Antigen, Total) (Serum)**

|                    |      |      |       |
|--------------------|------|------|-------|
| PSA Total<br>ECLIA | 0.89 | <1.4 | ng/mL |
|--------------------|------|------|-------|

**Interpretation:**

PSA is a protein produced by prostate gland in males. PSA test is used primarily to screen for prostate cancer. PSA aids in early detection of prostate cancer follow up and management of prostate cancer patient during treatment & after surgery. Elevated levels are seen in benign prostatic hyperplasia, prostatitis, genitourinary infection





LABORATORY REPORT

|                   |                         |                                 |
|-------------------|-------------------------|---------------------------------|
| NAME : MR. PR1398 | REFERRED BY : SELF      | VISIT NO : VAZ426000016         |
| AGE : 40Y 0M 0D   | ZERO TARIFF CLIENT CODE | COLLECTED ON : 20-04-2026 16:32 |
| GENDER : Male     | LAB MR# : AAZ400000015  | RECEIVED ON : 20-04-2026 17:53  |
| OP / IP / DG # :  |                         | APPROVED ON : 20-04-2026 18:51  |
|                   |                         | REPORT STATUS : Final Report    |



| Test Name | Result | Biological Ref. Interval | Unit |
|-----------|--------|--------------------------|------|
|-----------|--------|--------------------------|------|

Amfit - Male Health

CLINICAL PATHOLOGY

Urine Examination - Routine & Microscopy (CUE) (Urine)

PHYSICAL EXAMINATION:

|            |             |       |    |
|------------|-------------|-------|----|
| Volume     | 15.00       |       | mL |
| Colour     | Pale Yellow | Pale  |    |
| Appearance | Clear       | Clear |    |

CHEMICAL EXAMINATION:

|  |              |               |  |
|--|--------------|---------------|--|
| pH   | 7.00         | 4.8 - 7.4     |  |
| <i>Dip stick</i>                               |              |               |  |
| Specific Gravity                               | 1.015        | 1.010 - 1.022 |  |
| <i>Dip Stick(Bromothymol blue)</i>             |              |               |  |
| Protein  | Negative     | Negative      |  |
| <i>Dip Stick/ Sulfosalicylic acid</i>          |              |               |  |
| Glucose  | Negative     | Negative      |  |
| <i>Dip Stick /Benedicts test</i>               |              |               |  |
| Ketones  | Absent       | Negative      |  |
| <i>Dip stick/Sodium nitroprusside reaction</i> |              |               |  |
| Urobilinogen                                   | Normal       | Normal        |  |
| <i>Dip Stick / Ehrlich reaction</i>            |              |               |  |
| Leucocyte Esterase                             | Negative     | Negative      |  |
| <i>Dip Stick</i>                               |              |               |  |
| Nitrite  | Negative     | Negative      |  |
| <i>Dip Stick / (Griess test )</i>              |              |               |  |
| Bilirubin                                      | Negative     | Negative      |  |
| <i>Dipstick/diazo</i>                          |              |               |  |
| Blood  | Not Detected | Negative      |  |
| <i>Dip Stick ( Peroxidase)</i>                 |              |               |  |

Microscopic Examination

|                  |        |        |      |
|------------------|--------|--------|------|
| Pus Cells        | 2 - 3  | 0 - 5  | /HPF |
| Epithelial Cells | 1 - 2  | < 5    | /HPF |
| RBCs             | Absent | 0 - 5  | /HPF |
| Casts            | Absent | Absent | /LPF |
| Crystals         | Absent | Absent | /HPF |





LABORATORY REPORT

|                |              |                         |                |               |                    |
|----------------|--------------|-------------------------|----------------|---------------|--------------------|
| NAME           | : MR. PR1398 | REFERRED BY             | : SELF         | VISIT NO      | : VAZ426000016     |
| AGE            | : 40Y 0M 0D  | ZERO TARIFF CLIENT CODE |                | COLLECTED ON  | : 20-04-2026 16:32 |
| GENDER         | : Male       | LAB MR#                 | : AAZ400000015 | RECEIVED ON   | : 20-04-2026 17:53 |
| OP / IP / DG # | :            |                         |                | APPROVED ON   | : 20-04-2026 18:51 |
|                |              |                         |                | REPORT STATUS | : Final Report     |



| Test Name | Result | Biological Ref. Interval | Unit |
|-----------|--------|--------------------------|------|
|-----------|--------|--------------------------|------|

Amfit - Male Health

Dr. Sanjeeta  
MBBS, MD (Biochemistry)  
Consultant Biochemist

Dr. Praveena P  
MBBS, MD Pathology  
Consultant Pathologist

Disclaimer:

1. All results released pertain to the specimen as received by the lab for testing and under the assumption that the patient indicated or identified on the bill/test requisition form is the owner of the specimen.
2. Clinical details and consent forms, especially in Genetic testing, histopathology, as well as wherever applicable, are mandatory to be accompanied with the test requisition form. The non-availability of such information may lead to delay in reporting as well as misinterpretation of test results. The lab will not be responsible for any such delays or misinterpretations thereof.
3. Test results are dependent on the quality of the sample received by the lab. In case the samples are preprocessed elsewhere (e.g., paraffin blocks), results may be compromised.
4. Tests are performed as per the schedule given in the test listing and in any unforeseen circumstances, report delivery may be affected.
5. Test results may show inter-laboratory as well as intra-laboratory variations as per the acceptable norms.
6. Genetic reports as well as reports of other tests should be correlated with clinical details and other available test reports by a qualified medical practitioner. Genetic counselling is advised in genetic test reports by a qualified genetic counsellor, medical practitioner or both.
7. Samples will be discarded post processing after a specified period as per the laboratory's retention policy. Kindly get in touch with the lab for more information.
8. If accidental damage, loss, or destruction of the specimen is not attributable to any direct or negligent act or omission on the part of Ampath Labs or its employees, Ampath shall in no event be liable. Ampath lab's liability for a lack of services, or other mistakes and omissions, shall be restricted to the amount of the patient's payment for the pertinent laboratory services.

