



LABORATORY REPORT

NAME : MR.SI0042 REFERRED BY : SELF VISIT NO : VAMP26148128  
AGE : 40Y 0M 0D ZERO TARIFF CLIENT CODE COLLECTED ON : 21-04-2026 10:00  
GENDER : Male LAB MR# : AAMP01479407 RECEIVED ON : 21-04-2026 18:11  
OP / IP / DG # : APPROVED ON : 21-04-2026 19:55  
REPORT STATUS : Final Report



Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

SEROLOGY AND IMMUNOLOGY

HIV 1 and 2 Antibody -Antigen (Serum)

HIV 1 and 2 Antibody- Antigen 0.05 <1.00: Non-reactive S/CO  
CLIA >=1.00: Reactive

Interpretation:

Test Description:

This is a screening test for simultaneous qualitative detection of HIV p24 antigen and antibodies to HIV type 1 and/or 2 in human serum or plasma.

Test Interpretation:

- All reactive samples are tested by 3 different methods as per NACO guidelines, 2010 (Strategy)/algorithm III).
- A single test result is not always indicative of a disease. The diagnosis of HIV infection must be based on results of supplemental, confirmatory tests performed on repeat sample & with clinical correlation for the patient's immune status and history.
- A non-reactive test does not exclude the possibility of an HIV infection. Non Reactive result implies that antibodies to HIV 1 / 2 have not been detected in the sample.This means the patient has either not been exposed to HIV 1 / 2 infection or the sample has been tested during the "window phase" i.e. before the development of detectable levels of antibodies.HIV 1+2 detects only anti-HIV antibodies.
- The assay is only valid for human serum/plasma samples and not for other body fluids.
- All Reactive specimens must be verified by a second sample for repeat testing for screening & supplemental or confirmatory tests such as Western Blot or PCR.
- **This test has been performed after providing pre-test counselling to the patient and obtaining informed consent.**
- **This test result will be handed over to the patient after post test counselling and due clinical interpretation by a registered medical practitioner.**

Dr. G. Amitha  
MBBS, MD (MICROBIOLOGY)  
Consultant Microbiologist

Disclaimer:

1. All results released pertain to the specimen as received by the lab for testing and under the assumption that the patient indicated or identified on the bill/test requisition form is the owner of the specimen.
2. Clinical details and consent forms, especially in Genetic testing, histopathology, as well as wherever applicable, are mandatory to be accompanied with the test requisition form. The non-availability of such information may lead to delay in reporting as well as misinterpretation of test results. The lab will not be responsible for any such delays or misinterpretations thereof.
3. Test results are dependent on the quality of the sample received by the lab. In case the samples are preprocessed elsewhere (e.g., paraffin blocks), results may be compromised.

Generated On 25-Apr-2026 11:38:08

This is an electronically authenticated laboratory report.

Page 1 of 2

Sin No: 20385425





LABORATORY REPORT

NAME	: MR.SI0042	REFERRED BY	: SELF	VISIT NO	: VAMP26148128
AGE	: 40Y 0M 0D	ZERO TARIFF CLIENT CODE		COLLECTED ON	: 21-04-2026 10:00
GENDER	: Male	LAB MR#	: AAMP01479407	RECEIVED ON	: 21-04-2026 18:11
OP / IP / DG #	:			APPROVED ON	: 21-04-2026 19:55
				REPORT STATUS	: Final Report



Test Name	Result	Biological Ref. Interval	Unit
<p>4. Tests are performed as per the schedule given in the test listing and in any unforeseen circumstances, report delivery may be affected.</p> <p>5. Test results may show inter-laboratory as well as intra-laboratory variations as per the acceptable norms.</p> <p>6. Genetic reports as well as reports of other tests should be correlated with clinical details and other available test reports by a qualified medical practitioner. Genetic counselling is advised in genetic test reports by a qualified genetic counsellor, medical practitioner or both.</p> <p>7. Samples will be discarded post processing after a specified period as per the laboratory's retention policy. Kindly get in touch with the lab for more information.</p> <p>8. If accidental damage, loss, or destruction of the specimen is not attributable to any direct or negligent act or omission on the part of Ampath Labs or its employees, Ampath shall in no event be liable. Ampath lab's liability for a lack of services, or other mistakes and omissions, shall be restricted to the amount of the patient's payment for the pertinent laboratory services.</p>			

