



LABORATORY REPORT

NAME : MR.SI0547 REFERRED BY : SELF VISIT NO : VAMP26148031  
AGE : 40Y 0M 0D ZERO TARIFF CLIENT CODE COLLECTED ON : 21-04-2026 10:00  
GENDER : Male LAB MR# : AAMP01479310 RECEIVED ON : 21-04-2026 18:11  
OP / IP / DG # : APPROVED ON : 22-04-2026 13:43  
REPORT STATUS : Final Report



Test Name Result Biological Ref. Interval Unit

SEROLOGY AND IMMUNOLOGY

Dengue NS1 Antigen (Serum)

Dengue NS1 Antigen 4.30 <9: Negative UNITS  
ELISA 9-11: Borderline  
>11: Positive

Interpretation:

RESULT	INTERPRETATION
NEGATIVE (<9)	No detectable dengue NS1 antigen. The result does not rule out dengue infection. An additional sample should be tested for IgG & IgM serology in 7-14 days.
EQUIVOCAL (9-11)	Repeat sample after 1 week
POSITIVE (>11)	Presence of detectable dengue NS1 antigen. Dengue IgG & IgM serology assays should be performed on follow up samples after 5-7 days of onset of fever, to confirm dengue infection.

Dengue is considered to be the most important arthropod-borne viral disease due to the human morbidity and mortality it causes. Dengue may present as non-specific febrile illness or classic dengue fever. Dengue Haemorrhagic fever and Dengue Shock Syndrome are known life threatening presentations of infection. NS1 antigen found from the first day and up to 9 days after onset of fever in samples of primary or secondary dengue infected patients.

Recommended test is NS1 Antigen by ELISA in the first 5 days of fever. After 7-10 days of fever, the recommended test is Dengue fever antibodies IgG & IgM by ELISA

Dr. G. Amitha  
MBBS, MD (MICROBIOLOGY)  
Consultant Microbiologist

Disclaimer:

- All results released pertain to the specimen as received by the lab for testing and under the assumption that the patient indicated or identified on the bill/test requisition form is the owner of the specimen.
- Clinical details and consent forms, especially in Genetic testing, histopathology, as well as wherever applicable, are mandatory to be accompanied with the test requisition form. The non-availability of such information may lead to delay in reporting as well as misinterpretation of test results. The lab will not be responsible for any such delays or misinterpretations thereof.
- Test results are dependent on the quality of the sample received by the lab. In case the samples are preprocessed elsewhere (e.g., paraffin blocks), results may be compromised.
- Tests are performed as per the schedule given in the test listing and in any unforeseen circumstances, report delivery may be affected.
- Test results may show inter-laboratory as well as intra-laboratory variations as per the acceptable norms.

Generated On 25-Apr-2026 12:56:31

This is an electronically authenticated laboratory report.

Page 1 of 2



Sin No: 20385328



LABORATORY REPORT

NAME	: MR.SI0547	REFERRED BY	: SELF	VISIT NO	: VAMP26148031
AGE	: 40Y 0M 0D	ZERO TARIFF CLIENT CODE		COLLECTED ON	: 21-04-2026 10:00
GENDER	: Male	LAB MR#	: AAMP01479310	RECEIVED ON	: 21-04-2026 18:11
OP / IP / DG #	:			APPROVED ON	: 22-04-2026 13:43
				REPORT STATUS	: Final Report



Test Name	Result	Biological Ref. Interval	Unit
<p>6. Genetic reports as well as reports of other tests should be correlated with clinical details and other available test reports by a qualified medical practitioner. Genetic counselling is advised in genetic test reports by a qualified genetic counsellor, medical practitioner or both.</p> <p>7. Samples will be discarded post processing after a specified period as per the laboratory's retention policy. Kindly get in touch with the lab for more information.</p> <p>8. If accidental damage, loss, or destruction of the specimen is not attributable to any direct or negligent act or omission on the part of Ampath Labs or its employees, Ampath shall in no event be liable. Ampath lab's liability for a lack of services, or other mistakes and omissions, shall be restricted to the amount of the patient's payment for the pertinent laboratory services.</p>			

