



LABORATORY REPORT

NAME	: MR.SI0783	REFERRED BY	: SELF	VISIT NO	: VAMP26148086
AGE	: 40Y 0M 0D	ZERO TARIFF CLIENT CODE		COLLECTED ON	: 21-04-2026 10:00
GENDER	: Male	LAB MR#	: AAMP01479365	RECEIVED ON	: 21-04-2026 18:11
OP / IP / DG #	:			APPROVED ON	: 22-04-2026 16:03
				REPORT STATUS	: Final Report



Test Name	Result	Biological Ref. Interval	Unit
-----------	--------	--------------------------	------

SEROLOGY AND IMMUNOLOGY

HCV (ELISA) (Serum)

HCV ELISA	0.20	<1.00: Non-reactive >=1.00: Reactive	Index Value
--------------	------	---	-------------

Interpretation:

This is a fourth generation HCV test that pertains to qualitative detection of antibodies against Hepatitis C Virus in patient serum/ plasma and it is used for screening of infected blood samples.

The 4th generation HCV test utilizes a unique combination of modified HCV antigens from the putative core, NS3, NS4 and NS5 regions of the virus to selectively identify all subtypes of Hepatitis C Virus in human serum/plasma with a high degree of sensitivity and specificity. This is only a screening test and all reactive samples should be further confirmed by supplemental assays like RIBA or Qualitative PCR. A non-reactive test does not exclude the possibility of HCV infection. This test detects only IgG antibody against HCV.

Dr. G. Amitha  
MBBS, MD (MICROBIOLOGY)  
Consultant Microbiologist

Disclaimer:

- All results released pertain to the specimen as received by the lab for testing and under the assumption that the patient indicated or identified on the bill/test requisition form is the owner of the specimen.
- Clinical details and consent forms, especially in Genetic testing, histopathology, as well as wherever applicable, are mandatory to be accompanied with the test requisition form. The non-availability of such information may lead to delay in reporting as well as misinterpretation of test results. The lab will not be responsible for any such delays or misinterpretations thereof.
- Test results are dependent on the quality of the sample received by the lab. In case the samples are preprocessed elsewhere (e.g., paraffin blocks), results may be compromised.
- Tests are performed as per the schedule given in the test listing and in any unforeseen circumstances, report delivery may be affected.
- Test results may show inter-laboratory as well as intra-laboratory variations as per the acceptable norms.
- Genetic reports as well as reports of other tests should be correlated with clinical details and other available test reports by a qualified medical practitioner. Genetic counselling is advised in genetic test reports by a qualified genetic counsellor, medical practitioner or both.
- Samples will be discarded post processing after a specified period as per the laboratory's retention policy. Kindly get in touch with the lab for more information.
- If accidental damage, loss, or destruction of the specimen is not attributable to any direct or negligent act or omission on the part of Ampath Labs or its employees, Ampath shall in no event be liable. Ampath lab's liability for a lack of services, or

Generated On 25-Apr-2026 11:25:42

This is an electronically authenticated laboratory report.

Page 1 of 2

Sin No: 20385383



AMPATH  
Central Reference Labor  
Door No. 1-100/1/CCH N  
Serilingampally  
Hyderabad



MC-2751

## LABORATORY REPORT

<b>NAME</b>	: MR.SI0783	<b>REFERRED BY</b>	: SELF	<b>VISIT NO</b>	: VAMP26148086
<b>AGE</b>	: 40Y 0M 0D	<b>ZERO TARIFF CLIENT CODE</b>		<b>COLLECTED ON</b>	: 21-04-2026 10:00
<b>GENDER</b>	: Male	<b>LAB MR#</b>	: AAMP01479365	<b>RECEIVED ON</b>	: 21-04-2026 18:11
<b>OP / IP / DG #</b>	:			<b>APPROVED ON</b>	: 22-04-2026 16:03
				<b>REPORT STATUS</b>	: Final Report



Test Name	Result	Biological Ref. Interval	Unit
other mistakes and omissions, shall be restricted to the amount of the patient's payment for the pertinent laboratory services.			

Generated On 25-Apr-2026 11:25:42

This is an electronically authenticated laboratory report.

Page 2 of 2

Sin No: 20385383

